



TERMARUST SERIES TC7101 Salt Remover

Safety Data Sheet (SDS)

according to Regulations: UN GHS, (EU) 2015/830, Annex II of REACH, HCS in USA, and WHMIS 2015 in Canada

Revision: December 2023

Version: 2,0 EN

Note: Read and understand Safety Data Sheet before handling or disposing of product.

1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Material Identity:[®] **Termaclean TC7101**

Synonym: Industrial Cleaning Solution

Product Use: Removal of soluble salts from metals or other surfaces.

Manufacturer: **Termarust Technologies Inc.**
7726 rue Jarry East
Anjou, QC H1J 2M3

Emergency Number: 888-279-5497, 514-354-1376 ext. 221

Revised: 03/2021

2. HAZARD IDENTIFICATION

Physical Hazards: None as defined by GHS Hazard Classification.

GHS Label:

Signal Word: WARNING



Hazard Statement: Flush with water if product comes in contact with skin.
See also Section 4.

Effects of Overexposure:

Eye Contact: Moderately irritating

Skin Contact: May cause irritation on prolonged contact.

Ingestion: May cause gastrointestinal irritation.

Inhalation: None currently known

Precautionary Statements:

Wear protective gloves and eye/face protection.

Do not eat or drink when using this product.

Do not mix with other products.

Read the entire SDS for more thorough evaluation of precautions required.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	85-95
Proprietary Component		-	1-<5
Proprietary Component		-	1-<5
Proprietary Component		-	1-<5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

- Eyes:** Flush with plenty of water, occasionally lifting upper and lower eyelids. Remove contact lenses. Contact physician if irritation persists.
- Skin:** Flush effected area with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.
- Ingestion:** If ingested, wash out mouth with plenty of water. Do not induce vomiting unless directed by medical advice. Get medical attention. Do not give anything by mouth to an unconscious person.
- Inhalation:** Remove victim to fresh air and keep at rest in position comfortable for breathing. Get medical attention if symptoms occur.

5. FIRE-FIGHTING MEASURES/ EXPLOSIVE HAZARDS

- Flash Point:** Does not flash
- Extinguishing Media:** Any appropriate media to local circumstances and surrounding media.
- Flammability Limits:** N/A
- Firefighting Instructions:** Wear self-contained breathing apparatus and protective suit.
- Unusual Fire & Explosive Hazards:** Prolonged contact with certain metals may generate minor amounts of hydrogen gas which can be diminished by quenching with large amounts of water.
- Hazardous By-Products:** None Known

- National Fire Protection Hazard Ratings- NFPA(R)**
1 Health Hazard- Slight
0 Flammability- None
0 Reactivity - Minimal

**6. ACCIDENTAL RELEASE MEASURE****Procedure in case of accidental release, breakage or leakage: Canutec**

Wear appropriate protective clothing and/or equipment during cleanup. Dilute with water, neutralize with lime or soda ash, or a suitable non-combustible absorbent (sand, earth, vermiculite, diatomaceous earth) may be used. Remove contaminated absorbent, flush spill area with water.

Comply with local, state, and federal regulations for waste disposal. If permissible, flush to drain.

7. HANDLING AND STORAGE

Precautions to be taken in handling: Minimize spillage. Use appropriate personal protective equipment (Section 8). Avoid contact with eyes, skin, and clothing. Workers should wash hands before eating, drinking, or smoking. Keep in the original container or suitable alternative. Keep containers sealed.

Storage: Compliance with local regulations. Keep lids closed and away from heat. Store above 32°F (0°C).

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering Controls: Use in ventilated areas.

Protective Equipment:

Eye/Face Protection: Wear coverall chemical splash goggles.

Skin Protection: Personal protective equipment should be selected based on the task being performed and risks involved and approved by a specialist before use.

Respiratory Protection: Properly fitted air purifying or air fed respirator complying with an approved standard if risk assessment indicates this is necessary. Respirator should be selected based on known or anticipated exposure level, the hazards of the product and the safe working limits of the respirator.

Hand Protection: Material: Impervious gloves.

Exposure Limit for Total Product: 10 mg/m³ TWA.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Green liquid
Odor: Mildly of burnt sugar
Oxidizing Properties: None
Boiling Point: 100 C (approximately as water)
Specific Gravity: 1.01(+/- 0.1)
pH: 3.3 (+/- 0.2)
Vapor Pressure: Vapor is water
Vapor Density: Vapor is water
VOC Content: Non detectable
Flash Point: Non-flammable.
Solubility in Water: Complete

10. STABILITY AND REACTIVITY

Hazardous decomposition: Hazardous decomposition will not occur.
Incompatibility with various materials: Do not mix with other chemicals.
Hazardous polymerization: Will not occur.
Storage: Store out of direct contact with sunlight.

11. TOXICOLOGICAL INFORMATION

Do not use inconsistent with intended use. Keep out of reach of children and untrained users.

No toxicology data is available for this product.

Carcinogenicity: None of the components present in concentrations equal to or greater than 0.1% are listed as carcinogenic:

<u>OSHA</u>	<u>IARC</u>	<u>NTP</u>	<u>OTHER</u>	<u>NONE</u>
-----	-----	-----	-----	--X--

12. ECOLOGICAL INFORMATION

Environmental effects: Readily biodegradable. No phosphates. Low or non-detectable bioaccumulation.

Ecotoxicological information: 96-h, LC50, rainbow trout: >400 µL/L
 96-h, LC50, stickleback saltwater toxicity, >400µL/L

13. DISPOSAL INFORMATION

Comply with local, state and federal regulations. If permissible, flush to drain. Otherwise drain to effluent remediation facility. Neutralize with lime or soda ash, if required, then flush with water.

Caution: Misuse of empty containers can be hazardous. Empty containers can be hazardous is used to store, toxic, flammable, or reactive materials. Cutting or welding of empty containers might cause fire, or toxic fumes from residues. Do not pressurize or expose to open flame or heat. Keep containers closed and drum bungs in place.

14. TRANSPORT INFORMATION

Shipping Classification: Specify as: Item No. 48580 – Sub 3 – Class 55

UN Regulatory Information:

DOT Classification:	Not regulated.
TDG Classification:	Not regulated.
IMDG Class:	Not regulated.
IATA-DGR Class:	Not regulated

15. REGULATORY INFORMATION

Reportable Quantity (RQ): No calculable reportable quantity for this product.

CERCLA (Superfund) reportable quantity: None

TSCA Inventory Status: This product is not listed and is exempt from the TSCA Chemical Substances Inventory.

SARA Title III (Section 302/304): Nonhazardous.

SARA 313: No ingredients listed. Product does not contain nor is manufactured with ozone depleting substances.

CA Prop 675: No known substances known to the State of California to cause cancer, birth defect, or reproductive harm.

Canada: WHMIS Classification D2B.

**16. OTHER INFORMATION**

It is the responsibility of the buyer to maintain a safe workplace for the user. Personal protective rating to be supplied by user depending on use condition. The user should consider the health safety information contained herein as a guide and should take these precautions required in an individual operation to instruct employees and develop protective work procedures for a safe environment.

The information contained herein is, to the best of our knowledge, accurate based on data available at the time of publication. The company accepts no liability for damages incurred.

Nothing herein is to be construed as a warranty, expressed or implied. It is the responsibility of the user to determine the applicability of the information herein and suitability for its own particular purpose.

Termarust Technologies Inc.
1-888-279-5497

7726 rue Jarry East
514-354-1376

Anjou, QC H1J 2M3
www.termarust.com